

Doctoral Dissertation

REFLECTIONS AND EVALUATIONS OF THE PERFORMANCES
IN MAGNETOCALORIC SYSTEMS

磁気熱変換システムにおける性能の評価と考察

January 2013

Graduate School of Engineering, Kobe University

Didier Vuarnoz

Contents

Acknowledgements	i
Abstract	iii
Content	v
Nomenclature	ix
Forewords	xiv
 1) Introduction	1
1.1) Context	1
1.2) Key points of the MCE technology	4
1.2.1) Advantages	4
1.2.2) Potential	5
1.2.3) Challenges	7
1.3) Numerical modeling applied to magnetocaloric system	8
1.4) Aims and objectives of the study	10
<i>References</i>	13
 2) The magnetocaloric effect and its implementation	20
2.1) History and principle	20
2.2) Active magnetic regenerator	23
<i>References</i>	27
 3) Numerical analysis of different AMR configurations	29
3.1) Introduction	29
3.2) Description and modeling the investigated system	29
3.3) Physical properties of the magnetocaloric material	33
3.4) Proposed configurations	35
3.4.1) Holes in block	36
3.4.2) Stack of wires	37
3.4.3) Stack of pipes	38
3.4.4) Pipes in a bed of particles	39
3.4.5) Bed of particles	43
3.4.6) Parallel plates	44

3.5)	Simulation results	45
3.5.1)	Holes in block	45
3.5.2)	Stack of wires	47
3.5.3)	Stack of pipes	49
3.5.4)	Pipes in a bed of particles	50
3.5.5)	Bed of particles	51
3.5.6)	Parallel plates	53
3.5.7)	Comparison overview	56
3.6)	Conclusion	59
	<i>References</i>	60
4)	Experimental validation of the modeling of an AMR65	
4.1)	Introduction	65
4.2)	The experimental test device	67
4.3)	Model description	69
4.3.1	Magnetic sub-model	70
4.3.2	Thermodynamic sub-model	71
4.4)	Implementation of the model	72
4.5)	Experimental validation of the model	73
4.6)	Discussion	75
4.7)	Conclusion	77
	<i>References</i>	77
5)	Thermodynamic and exergy efficiency of magnetocaloric system applied to energy conversion	81
5.1)	Introduction	81
5.2)	Magnetocaloric energy conversion machines	83
5.3)	Theory	85
5.4)	Efficiencies	88
5.5)	Technical results	93
5.6)	Economic feasibility	97
5.7)	Conclusion	102
	<i>References</i>	103

6)	Thermodynamics of layered bed AMR	108
6.1)	Introduction	108
6.2)	Characteristics of layered bed	109
6.3)	A generalized T - S diagram	113
6.4)	Magneto-thermodynamics of a single layer	123
6.5)	Magneto-thermodynamic of a layered bed	126
6.6)	Conclusion	130
	<i>References</i>	132
7)	Conclusion	133
	Appendix 1	138
	Appendix 2	158

Reference Chapter 1

- Brown GV. 1976, Magnetic Heat Pumping near Room Temperature, *J. Appl. Phys.* 47: 3673-3680.
- Bouchard J, Nesreddine H, Chahine R. 2005, Impact of Demagnetization on Magnetocaloric Effect in Pure Gadolinium, *Proc. Thermag I, IIR/IIF*:93-101.
- Bouchard J, Nesreddine H, Galanis N. 2009, Model of a porous regenerator used for magnetic refrigeration at room temperature. *Int. J. Heat Mass Transfer* 52, 1223-1229.
- Bouchekara HRE. 2008, Recherche sur les systèmes de réfrigération magnétique. Modélisation, conception et optimisation. PhD dissertation, Institut polytechnique de Grenoble, 1-160.
- Casanova i Fernandez F. 2004, Magnetocaloric Effect In $Gd_5(SixGe_{1-x})_4$ Alloys, PhD dissertation, Universitat de Barcelona, 1-228.
- Christensen DV, Bjørk R, Nielsen KK, Bahl CRH, Smith CRH, Clausen S. 2010, Spatially Resolved Measurements of the Magnetocaloric Effect and the Local Magnetic Field using Thermography, *J. Appl. Phys.* 108: 063913,1-4.
- Dai W, Shen BG, Li DX, Gao ZX. 2000, Application of High-Energy Nd-Fe-B Magnets in the Magnetic Refrigeration, *J. Magn. Magn. Mater.* 218: 25-30.
- Dan'kov SY, Tishin AM, Pecharsky VK, Gschneidner KA Jr. 1998, Magnetic phase transitions and the magnetothermal properties of Gadolinium, *Physical Review B* 67(6): 3478-3490.
- Debye P. 1926, Einige Bemerkungen Zur Magnetisierung bei tiefer Temperatur, *Annalen der Physik*, 81: 1154–1160.
- Edison TA, Pyromagnetic generator, US patent 476,983, June 14, 1892.
- Egolf PW, Kitanovski A, Diebold M, Gonin C, Vuarnoz D. 2009, Magnetic power conversion with machines containing full or porous wheel heat exchangers. *JMMM*; Vol. 321: 758-762.
- Egolf PW, Sari O, Kitanovski A, Gendre F. 2005, Proceedings of the First International Conference on Magnetic Refrigeration at Room Temperature of the International Institute of Refrigeration IIF/IIR, THERMAG I, Montreux, Switzerland, Sept. 27-30.

Engelbrecht KL, Nellis GF, Klein SA. 2007, Comparing modeling predictions to experimental data for AMRR systems, IIR-IIF Proceeding Thermag II, pp 341-347.

Einstein A. 1905, On the movement of small particles suspended in stationary liquids required by the molecular kinetic theory of heat. Annalen der Physik 178: 549-560.

Engelbrecht KL, Nellis GF, Klein SA, Boeder AM. 2005, Modeling Active Magnetic Regenerative Refrigeration Systems, Proc. THERMAG I, Montreux, Switzerland, Sept. 27-30: 265-274.

Fujita A, Fujieda S, Hasegawa Y, Fukamichi K. 2003, Itinerant-electron metamagnetic transition and large magnetocaloric effect in La(FexSi_{1-x})₁₃ compounds and their hydrides, Phys. Rev. B 67, 2003, 104416-1-12.

Giauque WF. 1927, A thermodynamic treatment of certain magnetic effect. A proposed method of producing temperature considerably below 1° absolute. J. Am. Chem. Soc. 49: 1864-1870.

Granryd, E. Refrigerating Engineering, p 7:1 and 7:2. Textbook. Department of Energy Technology, Royal Institute of Technology, Stockholm, Sweden, 2011.

Gschneidner KA. 2007, 30 years of near room temperature magnetic cooling, Second IIF-IIR International Conference on Magnetic Refrigeration at Room Temperature, Portoroz, Slovenia, 11-13 April .

Gschneidner Jr. KA, Pecharsky VK. 2009, Proceedings of the Third International Conference on Magnetic Refrigeration at Room Temperature of the International Institute of Refrigeration IIF/IIR, THERMAG III, Des Moines, Iowa, USA, May 11-15.

Hu FX, Shen BG, Sun JR, Cheng ZH, Rao GH, Zhang X. 2001, Influence of negative lattice expansion on magnetic entropy change in the compounds LaFe_{11.4}Si_{1.6}, Appl. Phys. Lett. 78, 2001, 3675-3677.

IIR IIF, 2008, list of research priorities, <http://www.iifiir.org/eng/doc/1099.pdf>

Karle A. 2001, The thermomagnetic Curie-motor for the conversion of heat into mechanical energy. Int. J. Therm. Sci. 40 : 834–842.

Kitanovski A, Egolf PW. 2006, Thermodynamics of magnetic refrigeration. Int. J. Refr. 29: 3-21.

Kitanovski A, Diebold M, Vuarnoz D, Gonin C, Egolf PW. 2008a, Application of Magnetic Refrigeration and its Assessment. Final Report for the Swiss Federal Office of Energy: 1-40.

Kitanovski A, Diebold M, Vuarnoz D, Gonin C, Egolf PW. 2008b Applications of Magnetic “Power Production” and its Assessment. Final Report for the Swiss Federal Office of Energy, Project No. 101776/152190:1- 33.

Kitanovski A, Egolf PW, Vuarnoz D., A permeable magnetocaloric material for a magnetocaloric device, patent WO2009124408 (A1), 2008c.

Kronmüller H, Coey JMD. 2001, Magnetic Materials, European white book on fundamental research in material science, Max Planck Inst. für Metallforsch. Stuttgart, pp 92-96.

Lebouc A, Fruchart D. 2012, Proceedings of the Fifth International Conference on Magnetic Refrigeration at Room Temperature of the International Institute of Refrigeration IIF/IIR, THERMAG III, Grenoble, France, Sept. 17-20 Sept.

Lipsø KW, Nielsen KK, Christensen DV, Bahl CRH, Engelbrecht K, Theil Kuhn L, Smith A. 2011, Measuring the Effect of Demagnetization in Stacks of Gadolinium Plates using the Magnetocaloric Effect, J. Magn. Magn. Mater. 323: 3027-3032.

Murakami K, Nemoto M. 1972, Some experiments and considerations on the behavior of thermomagnetic motors. Proc. Intermag Conference: 387-389.

Nielsen KK, Bahl CRH, Smith A, Bjørk R, Pryds N, Hattel J. 2009, Detailed numerical modeling of a linear parallel-plate active magnetic regenerator, Int. J. Refrig. 32: 1478-1486.

Nielsen KK, Tusek J, Engelbrecht K, Schopfer S, Kitanovski A, Bahl CRH, Smith A, Pryds N, Poredos A. 2011, Review on numerical modeling of active magnetic regenerators for room temperature applications, Int. J. Refrig. 34: 603-616.

Oliveira PA, Trevizoli PV, Barbosa Jr JR, Prata AT. 2012, A 2D hybrid model of the fluid flow and heat transfer in a reciprocating active magnetic regenerator, Int. J. Refrig 35: 98-114.

Poredos A, Sarlah A. 2007, Proceedings of the Second International Conference on Magnetic Refrigeration at Room Temperature of the International Institute of Refrigeration IIF/IIR, THERMAG II, Portoroz, Slovenia, April 11-13.

Palmy C. 2007, A thermo-magnetic wheel, Europhysics News; Vol. 38, No. 3: 32-34.

Palmy C. Egolf PW. 2007, Levitation and acceleration of a thermo-magnetic wheel. Proc. Thermag II; IIF/IIR: 299-307.

- Peksoy O, Rowe A. 2005, Demagnetizing effects in active magnetic regenerators, *J. Magn. Magn. Mater.* 288, 424-432.
- Petersen TF, Pryds N, Smith A, Hattel J, Schmidt H, Høgaard Knudsen AJ. 2008, Two-dimensional mathematical model of a reciprocating active magnetic regenerator, *Int. J. Refrig.* 31: 432-443.
- Petersen TF, Engelbrecht K, Bahl CRH, Elmegaard B, Pryds N, Smith A. 2008, Comparison between a 1d and 2d numerical model of an active magnetic regenerative refrigerator. *Journal of Physics D: Applied Physics*, 41: 105002.
- Pecharsky VK, Gschneidner KA Jr. 1997a, Giant magnetocaloric effect in Gd₅(Si₂Ge₂), *Phys. Rev. Lett.* 78 (23) pp. 4494-4497.
- Pecharsky VK, Gschneidner KA Jr. 1997b, Effect of alloying on the giant magneto caloric effect of Gd₅(Si₂Ge₂), *J. Magn. Magn. Mater.*, 167, pp. L179-L184.
- U.S. Environmental Protection Agency. 2010, Alternatives in domestic refrigeration, 1-4.http://www.epa.gov/ozone/downloads/EPA_HFC_DomRef.pdf
- Risser M, Engel T, Vasile C. 2009, Effects of Relative Orientation of Magnetocaloric Inserts with the Magnetic Flux, *Int. J. Refrig.* 32: 988-995.
- Roudaut J, Kedous-Lebouc A, Yonnet JP, Muller C. 2011, Numerical analysis of an active magnetic regenerator, *Int. J. Refrig.* 34: 1797-1804.
- Rowe A, Tura A. 2006, Experimental investigation of a three material layered active magnetic regenerator. *Int. J. Refrigeration*. 29: 1286-1293.
- Rowe A, Tura A. 2007, Active Magnetic Regenerator Performance Enhancement Using Passive Magnetic Materials, Proc. THERMAG II, Portoroz, Slovenia, April 11-13: 289–299.
- Shir F, Yanik L, Bennet LH, Della Tore E. 2003, Room temperature active magnetic refrigeration: Magnetic nanocomposites, *J. Appl. Phys* 93 (10): 8295-8297.
- Smith A, Nielsen KK, Christensen DV, Bahl CRH, Bjørk R, Hattel J. 2010, The Demagnetizing Field of a Non Uniform Rectangular Prism, *J. Appl. Phys.* 107: 103910-1-103910-6.
- Steyert WA. 1978a, Stirling-cycle rotating magnetic refrigerators and heat engines for use near room temperature, *J. Appl. Phys.* 49- 1216-1226.
- Steyert WA. 1978b, High temperature refrigerator, US patent No. 4107935.

Tagliafico G, Scarpa F, Tagliafico LA. 2009, Dynamic 1-D model of an active magnetic regenerator: a parametric investigation, Proceedings TERMAG III, paper 10018070.

Tagliafico G, Scarpa F, Canepa F. 2010, A dynamic 1-D model for a reciprocating active magnetic regenerator; Influence of the main working parameters, Int. J. Refrig. 33: 286-293.

Tegus O, Brück E, Buschov KHJ, De Boer FR. 2002, Transitional-metal-based magnetic refrigerants for room-temperature applications. Nature 415, pp. 150-152.

Tesla N, Pyromagneto-electric generator, US patent 428,057, May 18, 1890.

Tušek J, Kitanovski A, Prebil I, Poredos A. 2011, Dynamic operation of an active magnetic regenerator (AMR): Numerical optimization of a packed-bed AMR, Int. J. Refrig. 33: 1507-1517.

Tura A, Nielsen KK, Rowe A. 2012, Experimental and modeling results of a parallel plate-based active magnetic regenerator, Int. J. Refrig. 35: 1518-1527.

Vuarnoz D, Kitanovski A, Diebold M, Gendre F, Egolf PW. 2007, A magnetic heat pump with porous magnetocaloric material. Phys. Stat. Sol. 4, pp. 4552-4555.

Vuarnoz D, Kitanovski A, Gonin C, Borgeaud Y, Delessert M, Meinen M, Egolf PW. 2012, Quantitative feasibility study of magnetocaloric energy conversion utilizing industrial waste heat, Applied Energy 100, pp. 229-237.

Wada H, Tanabe Y. 2001, Giant magnetocaloric effect of MnAS_{1-x}Sbx, Appl. Phys. Lett. 79, 3302-3304.

Warburg, E, 1881, Ann. Phys., vol. 13, p.141 –164.

Yan Z, Chen J. 1991, The characteristics of polytropic magnetic refrigeration cycles, J. Appl. Phys 70 (4): 1911-1914.

Yu B, Liu M, Egolf PW, Kitanovski A. 2010, A review of magnetic refrigerator and heat pump prototypes built before the years 2010, Int. J. Refrig. 33: 1029-1060.

Zatsepina E, Tishin A, Egolf PW, Vuarnoz D. 2012, Theoretical estimation of working parameters for an improved hyperthermia method based on magnetocaloric effect, J. Mechanical Eng. 58, DOI:10.5545/sv-jme.2010.126 (in press).

Zhang L, Sherif SA, DeGregoria AJ, Zimm CB, Veziroglu TN. 2000, Design optimization of a 0.1-ton/day active magnetic regenerative hydrogen liquefier, *Cryogenics* 40: 269-278.

Zhao Z, Huang J. 2010, Proceedings of the Fourth International Conference on Magnetic Refrigeration at Room Temperature of the International Institute of Refrigeration IIF/IIR, THERMAG IV, Baotou, China, Aug. 23-27.

Zimm C, Jastrab AG, Sternberg A, Perchasky VK, Gschneidner Jr KA, Osborn M, Anderson I. 1998, Description and performances of a near-room temperature magnetic refrigerator. *Advances in Cryogenics Engineering* 43, 1759-1766.

Zimm C, Auringer J, Boeder A, Chell J, Russek S, Sternberg A. 2007, Design and initial performance of a magnetic refrigerator with a rotating permanent magnet, Proceeding IIR-IIF Thermag II , (Editor A. Poredos), ISBN 978-2- 913149-56-4.

References Chapter 2

Brown GV. 1976, Magnetic Heat Pumping near Room Temperature, *J. Appl. Phys.* 47: 3673-3680.

Barclay AJ, Sarangi S. 1984, Selection of regenerator geometry for magnetic refrigerators applications, *Proceedings of the 5th ASME/ASME/IIR Intersociety Cryogenic Symposium*: 51-57.

Egolf PW, Kitanovski A, Gonin C, Vuarnoz D, Diebold M, Swinnen T, Yu BF, Liu M, Repetti P, Orita A. 2010a, Magnetic heat pump with ground heat source, Final report of the project initiated by the Swiss Federal Office of Energy, No 152928/100873: 1-22.

Egolf PW, Kitanovski A, Gonin C, Repetti P. 2010b, Magnetic heat pump with ground heat source, *Proceedings 2nd IIR Workshop on Refrigerent Charge Reduction*, Stockholm, Sweden.

Engelbrecht K, Nielsen KK, Pryds N. 2010, An experimental study of passive regenerator geometries, in: *Proceedings Thermag IV, IIR-IIF*:305-312.

Gschneidner KA, Pecharsky VK. 2008, Thirty years of near room temperature magnetic cooling: where are today and future prospects. *Int. J. Refrig.* 31: 945-961.

Šarlah A. 2008, Thermo-hydraulic properties of heat regenerators in magnetic refrigerator, PhD dissertation, University of Ljubljana: 1-123.

Tishin AM, Spichkin YI. 2003, The Magnetocaloric Effect and its Applications. Series in Condensed Matter Physics, Institute of Physics, Bristol, United Kingdom.

Vuarnoz D, Kitanovski A, Gonin C, Egolf PW, Kawanami T. 2011, Modeling and Simulation of the Operation of a Rotary Magnetic Refrigerator. J. Therm. Sci. and Tech.6 (1) , JSME, pp 21-33.

Weiss P, Piccard A. 1918, Sur un nouveau phénomène magnétocalorique, Compt. Rend. 166 : 325-354.

References Chapter 3

Barclay AJ, Sarangi S. 1984, Selection of regenerator geometry for magnetic refrigerators applications, Proceedings of the 5th ASME/ASME/IIR Intersociety Cryogenic Symposium: 51-57.

Brück E, Tegus O, Thanh DTC, Bushow KHJ. 2006 Magnetocaloric Refrigeration near room temperature, J. Magn. Magn. Mater., doi: 10.1016/j.jmmm.2006.10.1146.

Chen YG, Tang YB, Wang BM, Xue QX, Tue MJ. 2007, A permanent magnet rotary magnetic refrigerator, Proceedings Thermag II, IIR-IIF: 309-313.

Dan'kov SY, Tishin AM, Pecharsky VK, Gschneidner KA Jr. 1998, Magnetic phase transitions and the magnetothermal properties of Gadolinium, Physical Review B 67(6): 3478-3490.

Egolf PW, Kitanovski A, Gonin C, Vuarnoz D, Diebold M, Swinnen T, Yu BF, Liu M, Repetti P, Orita A. 2010a, Magnetic heat pump with ground heat source, Final report of the project initiated by the Swiss Federal Office of Energy, No 152928/100873: 1-22.

Egolf PW, Kitanovski A, Gonin C, Repetti P. 2010b, Magnetic heat pump with ground heat source, Proceedings 2nd IIR Workshop on Refrigerant Charge Reduction, Stockholm, Sweden.

Engelbrecht K. 2008, A numerical Model of an active magnetic regenerator refrigerator with experimental validation, PhD dissertation, University of Wisconsin-Madison: 1-267.

Engelbrecht K, Jensen JB, Bahl CRH, Pryds N. 2009, Experiment on a modular magnetic refrigeration device , Proceeding Thermag IV, Des Moines, USA.

Engelbrecht K, Nielsen KK, Pryds N. 2010, An experimental study of passive regenerator geometries, in: Proceedings Thermag IV, IIR-IIF:305-312.

Gao Q, Yu BF, Wang CF, Zhang B, Yang DX, Zhang Y. 2006, Experimental investigation on refrigeration performance of a reciprocating active magnetic regenerator of room temperature magnetic refrigeration, Int. J. Refrigeration 29, 1274-1285.

Gonzo E. 2002, Estimating correlations for the effective thermal conductivity of granular material, Chemical Engineering Journal, 90: 299-302.

Gschneidner Jr KA. 1993, Metals, alloys and compounds – high purities do make a difference! J. Alloys and Comps. 193: 1-6.

Hashimoto T. Numasawa T. Shino M. Okada T. 1981, Magnetic refrigeration in the temperature range from 10 K to room temperature: the ferromagnetic refrigerants. Cryogenics 21 (11): 647-653.

Incropera FP, DeWitt DP, Bergman TL, Lavine AS, 2006, Fundamentals of Heat and Mass Transfer, Wiley eds. 6th edition:1-997.

Kawanami T, Chiba K, Ikegawa M, Sakurai K. 2005, Optimization of a magnetic refrigerator at room temperature for air cooling systems, in: Proceedings Thermag I, IIR-IIF: 425-435.

Kawanami T. 2007, Heat transfer characteristics and cooling performance of active magnetic regenerator, Proceedings Thermag II, IIR-IIF:23-34.

Kitanovski A. Egolf PW. Gendre F. Sari O. Besson C. 2005, A rotary heat exchanger magnetic refrigerator, Proceedings Thermag I, IIR-IIF, 1a7.

Li P, Gong M, Yao G, Wu J. 2006, A practical model for analysis of active magnetic regenerative refrigerators for room temperature application, Int. J. Refrig. 29: 1259-1266.

Petersen TF, Engelbrecht K, Bahl CRH, Elmgaard B, Pryds N, Smith A. 2008, Comparison between a 1d and 2d numerical model of an active magnetic regenerative refrigerator. Journal of Physics D: Applied Physics, 41: 105002.

Risser M, Vasile C, Engel T, Keith B, Muller C. 2010, Numerical simulation of magnetocaloric system behaviour for an industrial application, Int. J. Refrig. 33:973-981.

Šarlah A. 2008, Thermo-hydraulic properties of heat regenerators in magnetic refrigerator, PhD dissertation, University of Ljubljana: 1-123.

Shir F, Yanik L, Bennet LH, Della Tore E. 2003, Room temperature active magnetic refrigeration: Magnetic nanocomposites, J. Appl. Phys 93 (10): 8295-8297.

Spichkin YI, Derkach AV, Tishin AM, Kuz'min MD, Chernyshov AS, Gschneidner Jr KA, Pecharsky VK. 2007, Thermodynamic features of magnetization and magnetocaloric effect near the magnetic ordering temperature of Gd, *J. Magn. Magn. Mater.* 316 : e555-e557.

Tagliafico G, Scarpa F, Canepa F. 2010, A dynamic 1-D model for a reciprocating active magnetic regenerator; Influence of the main working parameters, *Int. J. Refrig.* 33: 286-293.

Tura A, Shopfer S, Rowe A, Maiorino A, Aprea C. 2010, Heat transfer and viscous losses in micro-channel passive regenerators. Part I - Apparatus and experimental results, in: *Proceedings Thermag IV, IIR-IIF*: 285-293.

Tušek J, Kitanovski A, Prebil I, Poredos A. 2011, Dynamic operation of an active magnetic regenerator (AMR): Numerical optimization of a packed-bed AMR, *Int. J. Refrig.* 33: 1507-1517.

Tušek J, Šarláh A, Zupan S, Prebil I, X Kitanovski A. Poredos A. 2010, A numerical optimization of a packed bed AMR, in: *Proceedings Thermag IV, IIR-IIF*: 425-435.

Vuarnoz D, Kitanovski A, Gonin C, Sari O, Egolf PW. 2010, Modeling of a two-stage magnetic refrigerator with a wavy-structure gadolinium heat exchangers, *Int. J. Refrig.* 33: 745-752.

Vuarnoz D. & Kawanami T. 2011, Numerical analysis of a reciprocating active magnetic regenerator made of gadolinium wires, *Appl. Therm. Eng.* 37: 388-395.

Vuarnoz D. & Kawanami T. 2013, Numerical analysis of different active magnetic regenerator configurations, Submitted to the Journal of thermal Science edited by Springer.

Vuarnoz D, Kitanovski A, Gonin C, Egolf PW. 2012, Thermodynamic and exergy efficiencies of magnetocaloric energy conversion utilizing industrial waste heat, *Int. J. Exergy* 10 (4/2012): 365-378.

Yan Z, Chen J. 1991, The characteristics of polytropic magnetic refrigeration cycles, *J. Appl. Phys* 70(4): 1911-1914.

Yu AB, Standish N. 1987, Porosity calculations of multi-component mixtures of spherical particles, *Powder Technology*, 52: 233-241.

Youngknow K, Sangknow J. 2011, Numerical simulation and its verification for an active magnetic regenerator. *Int. J. Refrig* 34: 204-215.

Zhang L, Sherif SA, DeGregoria AJ, Zimm CB, Veziroglu TN. 2000, Design optimization of a 0.1-ton/day active magnetic regenerative hydrogen liquefier, *Cryogenics* 40: 269-278.

Zhang ZY. Long Y. Ye RC. Chang YQ. 2005, Corrosion resistance of magnetic refrigerant Gadolinium in Water, Proceedings Thermag I, IIR-IIF:1A9, 85-92.

References Chapter 4

- Allab F. 2008, Etude et Conception d'un Dispositif de Réfrigération Magnétique basé sur l'Effet Magnétocalorique Géant, PhD These, Institut National Polytechnique de Grenoble : 1-193.
- Bouchard J, Nesreddine H, Chahine R. 2005, Impact of Demagnetization on Magnetocaloric Effect in Pure Gadolinium, Proc. Thermag I, IIR/IIF:93-101.
- Bouchard J, Nesreddine H, Galanis N. 2009, Model of a Porous Regenerator Used for Magnetic Refrigeration at Room Temperature, Int. J. Heat Mass Tran 52: 1223-1229.
- Brown GV. 1976, Magnetic Heat Pumping near Room Temperature, J. Appl. Phys. 47, 3673-3680.
- Christensen DV, Bjørk R, Nielsen KK, Bahl CRH, Smith CRH, Clausen S. 2010, Spatially Resolved Measurements of the Magnetocaloric Effect and the Local Magnetic Field using Thermography, J. Appl. Phys. 108: 063913,1-4.
- Cross CR, Barclay JA, Degregoria AJ, Jaeger SR, Johnson JW. 1988, Optimal temperature-entropy curves for magnetic refrigeration, Advances in cryogenic engineering. Volume 33 - Proceedings of the Cryogenic Engineering Conference, Saint Charles, IL, June 14-18, (A88-53176 23-31). New York, Plenum Press: 767-775.
- Dai W, Shen BG, Li DX, Gao ZX. 2000, Application of High-Energy Nd-Fe-B Magnets in the Magnetic Refrigeration, J. Magn. Magn. Mater. 218: 25-30.
- Dan'kov SY, Tishin AM, Pecharsky VK, Gschneidner KA Jr. 1998, Magnetic phase transitions and the magnetothermal properties of Gadolinium, Physical Review B 67(6): 3478-3490.
- Dymola. <http://www.3ds.com/products/catia/portfolio/dymola>.
- Gschneidner, KA Jr. 1993, Metals, Alloys and Compounds – High Purities do make a Difference!, J. Alloy. Compd. 193: 1-6.
- Kawanami, T. 2007, Heat Transfer Characteristics and Cooling Performances of an Active Magnetic Regenerator, Proc. Thermag II, IIR/IIF: 23-34.

Lipsø KW, Nielsen KK, Christensen DV, Bahl CRH, Engelbrecht K, Theil Kuhn L, Smith A. 2011, Measuring the Effect of Demagnetization in Stacks of Gadolinium Plates using the Magnetocaloric Effect, *J. Magn. Magn. Mater.* 323: 3027-3032.

Modelica. <http://www.modelica.org/>.

Nickolay M. & Martin H. 2002, Improved Approximation for the Nusselt Number for Hydrodynamically Developed Laminar Flow Between Parallel Plate, *Int. J. Heat Mass Tran.* 45: 3263-3266.

Nielsen KK, Bahl CRH, Smith A, Bjørk R, Pryds N, Hattel J. 2009, Detailed Numerical Modeling of a Linear Parallel-Plate Active Magnetic Refrigerator, *Int. J. Refrig.* 32: 1478-1486.

Nielsen KK, Bahl CRH, Smith A, Pryds N, Hattel J. 2010, A Comprehensive Parameter Study of an Active Magnetic Regenerator using a 2D Numerical Model, *Int. J. Refrig.* 33: 753-764.

Peksoy O. & Rowe A. 2005, Demagnetizing Effects in Active Magnetic Regenerators, *J. Magn. Magn. Mater.* 288: 424-432.

Petersen TF, Engelbrecht K, Bahl CRH, Elmegaard B, Pryds N. & Smith A. 2008, Comparison between a 1D and a 2D numerical model of an active magnetic regenerative refrigerator, *J. Phys. D: Appl. Phys.* 41: 105002 1-8.

Risser M, Engel T, Vasile C. 2009, Effects of Relative Orientation of Magnetocaloric Inserts with the Magnetic Flux, *Int. J. Refrig.* 32: 988-995.

Risser M, Vasile C, Keith B, Engel T, Muller C. 2012, Construction of Consistent Magnetocaloric Materials Data for Modelling Magnetic Refrigerators, *Int. J. Refrig.* 35: 459-467.

Shah RK. & London AL. 1978, *Advances in Heat Transfer (Suppl. 1)*, Academic Press, New York.

Smith A, Nielsen KK, Christensen DV, Bahl CRH, Bjørk R, Hattel J. 2010, The Demagnetizing Field of a Non Uniform Rectangular Prism, *J. Appl. Phys.* 107: 103910-1-103910-6.

Tura A, Nielsen KK, Rowe A. 2012, Experimental and Modeling Results of a Parallel Plate-Based Active Magnetic Regenerator, *Int. J. Refrig.* 35: 1518-1527.

VDI-Wärmeatlas. 1997, (8. Auflage), Springer, Berlin, 1374 p.

Vuarnoz D. & Kawanami T. 2011, Numerical Analysis of a Reciprocating Active Magnetic Regenerator Made of Gadolinium Wires, *Appl. Therm. Eng.* 37: 388-395.

Vuarnoz, D, Mikihara, I, Kawanami, T, Hirasawa S. 2012, Investigations of an Active Magnetic Regenerator Made of Flat Plates of Gadolinium. Proceedings JSME/KSME, 8th Thermal and Fluids Engineering Conference, Incheon, GST01-001.

Vuarnoz D. & Kawanami T. 2013, Experimental Validation of a Coupled Magneto-Thermal Model for a Flat-Parallel-Plate Active Magnetic Regenerator. *Appl. Therm. Eng.* (Accepted).

References Chapter 5

Alanne K, Söderholm S, Sirén K, Beausoleil-Morrison I. 2010, Techno-economic assessment and optimization of Stirling engine micro-cogeneration systems in residential buildings, *Energy Conversion and Management* 51: 2635–2646.

Aneke M, Agnew B, Underwood C, Wu H, Masheiti S. 2012, Power generation from waste heat in a food processing application, *Applied Thermal Engineering* 36: 171-180.

Backhaus S, Swift GW. 1999, A thermoacoustic Stirling heat engine, *Nature* 399: 335-338.

Baehr HD. 1989, *Thermodynamik*, Sibente Auflage, Springer – Verlag, p.460.

Bejan A. 1998, *Advanced Engineering Thermodynamics*. New-York: Wiley: ISBN 0-471-61747-4.

Bombarda P, Invernizzi CM, Pietra C. 2010, Heat recovery from Diesel engines: A thermodynamic comparison between Kalina and ORC cycles, *Applied Thermal Engineering* 30, No. 2–3: 212–219.

Borgeaud Y, Delessert M, Meinen M. 2009, Etude de faisabilité de l'intégration d'un système de génération d'électricité à partir de pertes thermiques industrielles. Yverdon : HES-SO ; IGE-CQA 19'144.

Chae SH, Kim SH, Yoon SG, Park S. 2010, Optimization of a waste heat utilization network in an eco-industrial park, *Applied Energy*; Vol. 87: 1978–1988.

Dincer I, Rosen MA. 2007, EXERGY: Energy, Environment and Sustainable Development, Elsevier Science, p. 472.

DOE project. 2006, The Future of geothermal energy, An assessment by an MIT interdisciplinary project, MIT.

Egolf PW, Rosensweig RE. 2007, Magnetic refrigeration at room temperature, 20th informative note on refrigeration technologies of the International Institute of Refrigeration IIF/IIR. Paris.

Egolf PW, Kitanovski A, Diebold M, Gonin C, Vuarnoz D. 2009, Magnetic power conversion with machines containing full or porous wheel heat exchangers. JMMM; Vol. 321: 758-762.

Holmgren K 2006, Role of a district-heating network as a user of waste-heat supply from various sources - the case of Göteborg, Applied Energy 83, No. 12: 1351-1367.

Gou X, Xiao H, Yang S. 2010, Modeling, experimental study and optimization on low-temperature waste heat thermoelectric generator system, Applied Energy; Vol. 87: 3131–3136.

Hsu CT, Huang GY, Chu HS, Yu B, Yao DJ. 2011, Experiments and simulations on low-temperature waste heat harvesting system by thermoelectric power generators, Applied Energy 88, No.4: 1291-1297.

Hung TC, Shai TY, Wang SK. 1997, A review of Organic Rankine Cycles (ORC's) for the recovery of low-grade waste heat, Energy 22, No. 7.: 661-667.

Jun Hu Z. Yu Li Z. Li Q, Li Q. 2010, Evaluation of thermal efficiency and energy conversion of thermoacoustic Stirling engines, Energy Conversion and Management 51: 802–812.

Karle A. 2001, The thermomagnetic Curie-motor for the conversion of heat into mechanical energy. Int. J. Therm. Sci. 40 : 834–842.

Kitanovski A, Diebold M, Vuarnoz D, Gonin C, Egolf PW. 2008, Application of a magnetic “power production” and its assessment. Bern: Swiss Federal Office of Energy; Final Report Project No. 152’190.

Kitanovski A, Egolf PW. 2006, Thermodynamics of magnetic refrigeration. Int. J. Refr. 29: 3-21.

Leffler RA, Bradshaw CR, Groll EA, Garimella SV. 2012, Alternative heat rejection methods for power plants, Applied Energy 92: 17–25.

Lolos PA, Rogdakis ED. A 2009, Kalina power cycle driven by renewable energy sources. Energy 34: 457–464.

Love ND, Szybist JP, Sluder CS. 2012, Effect of heat exchanger material and fouling on thermoelectric exhaust heat recovery, Applied Energy 89: 322–328.

Minder R, Koedel J, Schaedle K-H, Ramsel K, Girardin L, Marechal F. 2007; Energy conversion processes for use of geothermal heat, Bundesamt für Energie (BFE) Report.

Murakami K, Nemoto M. 1972, Some experiments and considerations on the behavior of thermomagnetic motors. Proc. Intermag Conference: 387-389.

Niu X, Yu J, Wang S. 2009, Experimental study on low-temperature waste heat thermoelectric generator, Journal of Power Sources 188: 621–626.

Palmy C. 2007, A thermo-magnetic wheel, Europhysics News; Vol. 38, No. 3: 32-34.

Palmy C, Egolf PW. 2007, Levitation and acceleration of a thermo-magnetic wheel. Proc. Thermag II; IIF/IIR: 299-307.

Popli S, Rodgers P, Eveloy V. 2011, Trigeneration scheme for energy efficiency enhancement in a natural gas processing plant through turbine exhaust gas waste heat utilization, Applied Energy, In press.

Poredoš A, Kitanovski A, Tuma M. 2001, The energy efficiency of chillers in a trigeneration plant, Forschung im Ingenieurwesen 67, No. 1: 40-44.

Rant Z. 1956, Exergie, ein neues Wort fur "Technische Arbeitsfahigkeit" (Exergy, a New Word for "Technical Available Work"), Forschung auf dem Gebiete des Ingenieurwesens 22: 36–37.

Rosen MA. 2002, Energy crisis or exergy crisis?, Int. J. Exergy 2: 125-127.

Rosensweig RE, Gonin C, Kitanovski A, Egolf PW. 2007, Magneto-thermodynamics charts of gadolinium for magnetic refrigeration, internal report, HEIG-VD SiT.

Sano S, Mizukami H, Kaibe H. 2003, Development of High-Efficiency Thermoelectric Power Generation System, Komatsu Technical Report 49, No.152: p.7.

Solomon D. 1991. Design of a thermomagnetic generator, J. Energy Conversion and Management 31: 157-173.

Takahashi Y, Yamamoto K, Nishikawa M. 2006, Fundamental performance of triple magnetic circuit type cylindrical thermomagnetic engine. Electrical Engineering in Japan 154, No. 4: 68-74.

Tchanche BF, Lambrinos GR, Frangoudakis A, Papadakis G. 2011, Low-grade heat conversion into power using organic Rankine cycles – A review of various applications. Renewable and Sustainable Energy Reviews 15, No. 8: 3963-3979.

Vidal A, Best R, Rivero R, Cervantes J. 2006, Analysis of a combined power and refrigeration cycle by the exergy method, Energy 31, No. 15: 3401–3414.

Vuarnoz D, Kitanovski A, Diebold M, Gonin C, Egolf PW. 2009, Feasibility study of a power conversion system utilizing industrial waste heat.Yverdon: HES-SO; Final report project 19'144.

Vuarnoz D, Kitanovski A, Gonin C, Egolf PW. 2012, Thermodynamic and Exergy Efficiencies of Magneto Caloric Energy Conversion Utilizing Industrial Waste Heat. Int. J. Exergy, Vol. 10, No 4,, 2012, pp 365-378.

Vuarnoz D, Kitanovski A, Gonin C, Borgeaud Y, Delessert M, Meinen M, Egolf PW. 2012, Quantitative Feasability Study of Magnetocaloric Energy Conversion Utilizing Industrial Waste Heat. Applied Energy, 2012, <http://dx.doi.org/10.1016/j.apenergy.2012.04.051>

Wei D, Lu X, Lu Z, Gu J. 2007, Performance analysis and optimization of organic Rankine cycle (ORC) for waste heat recovery. Energy Conversion and Management48: 1113–1119.

References Chapter 6

Egolf PW, Gendre F, Kitanovski A, Sari O. 2006. Machbarkeitsstudie für magnetische Wärmepumpen: Anwendungen in der Schweiz, Final Report for Swiss Federal Office of Energy, No. 100873/151017: 1- 67 (in German).

Egolf PW, Gravier L, Francfort T, Pawlowski AG, Courret G, Croci M, 2012. High-frequency magnetocaloric modules with heat gates operating with the Peltier effect. Proc. Thermag V, Grenoble, France, 17-20 Sept.

Egolf PW, Gravier L, Vuarnoz D. 2012. The Thermodynamics of Devices with Solid Layered-Bed Magneto Caloric Refrigerants. Int. J. Refrig. 2012. <http://dx.doi.org/10.1016/j.ijrefrig.2012.02.008>

Engelbrecht KL, Nellis GF, Klein SA, Boeder AM. 2005. Modeling Active Magnetic Regenerative Refrigeration Systems, Proc. THERMAG I, Montreux, Switzerland, Sept. 27-30: 265-274.

Gschneidner Jr. KA, Pecharsky VK, Tsokol AO. 2005. Recent developments in magnetocaloric materials. Institute of Physics Publishing, Reports on Progress in Physics, 68: 1479-1539.

Gschneidner Jr. KA, Pecharsky VK, 2009. Proceedings of the Third International Conference on Magnetic Refrigeration at Room Temperature of the International Institute of Refrigeration IIF/IIR, THERMAG III, Des Moines, Iowa, USA, May 11-15.

- Kitanovski A, Egolf PW. 2006. The thermodynamics of magnetic refrigeration. Review article of the Int. J. Refrigeration., 29: 3-21.
- Kitanovski A, Diebold M, Vuarnoz D, Gonin C, Egolf PW, 2008a. Application of Magnetic Refrigeration and its Assessment. Final Report for the Swiss Federal Office of Energy: 1-40.
- Kitanovski A, Diebold M, Vuarnoz D, Gonin C, Egolf PW. 2008b. Applications of Magnetic "Power Production" and its Assessment. Final Report for the Swiss Federal Office of Energy, Project No. 101776/152190:1- 33.
- Kitanovski A, Egolf PW, Vuarnoz D, 2008c. A permeable magnetocaloric material for a magnetocaloric device, WO2009124408 (A1).
- Kitanovski A, Egolf PW. 2010. Innovative ideas for future research on magnetocaloric technologies, Int. J. Refrigeration. 33 (3): 449-464.
- Landau LD, Lifshitz EM. 1979. Statistische Physik, Lehrbuch der Theoretischen Physik, Teil 1, Band V. Akademie-Verlag, Berlin (in German).
- Landau LD, Lifshitz EM. 1980. Elektrodynamik der Kontinua, Lehrbuch der Theoretischen Physik, Band VIII. Akademie-Verlag, Berlin (in German).
- Morrish AH. The Physical Principles of Magnetism, 2001. The Institute of Electrical and Electronics Engineers, IEEE Press, New York.
- Pecharsky VK, Gschneidner Jr. KA, Pecharsky AO, Tishin AM. 2001. Thermodynamics of the magnetic effect, Phys. Rev. B, 64, 144406:1-13.
- Peksoy O, Rowe A. 2005. Demagnetizing effects in active magnetic regenerators, J. Magn. Magn. Mater. 288, 424-432.
- Rosensweig RE. 1985. Ferrohydrodynamics. Cambridge University Press (or Dover books, 1997).
- Rowe A, Tura A. 2006. Experimental investigation of a three material layered active magnetic regenerator. Int. J. Refrigeration. 29: 1286-1293.
- Rowe A, Tura A. 2007. Active Magnetic Regenerator Performance Enhancement Using Passive Magnetic Materials, Proc. THERMAG II, Portoroz, Slovenia, April 11-13: 289–299.
- Tegus O. 2003. Novel Materials for Magnetic Refrigeration, PhD Thesis University of Amsterdam, The Netherlands, ISBN 90 5776 107 6.
- Tishin AM, Spichkin YI. 2003. The Magnetocaloric Effect and its Applications. Series in Condensed Matter Physics, Institute of Physics, Bristol, United Kingdom.

Yu BF, Liu M, Egolf PW, Kitanovski A. 2010. A review of magnetic refrigerators and heat pump prototypes built before the year 2010, *Int. J. Refrigeration.* 33 (6): 1029-1060.

