

Introduction to the special issue on non-reciprocal and topological wave phenomena in acoustics

Romain Fleury, Michael R. Haberman, Guoliang Huang, et al.

Citation: *The Journal of the Acoustical Society of America* **146**, 719 (2019); doi: 10.1121/1.5119133

View online: <https://doi.org/10.1121/1.5119133>

View Table of Contents: <https://asa.scitation.org/toc/jas/146/1>

Published by the [Acoustical Society of America](#)

ARTICLES YOU MAY BE INTERESTED IN

[Non-reciprocal wave propagation in mechanically-modulated continuous elastic metamaterials](#)

The Journal of the Acoustical Society of America **146**, 782 (2019); <https://doi.org/10.1121/1.5115019>

[Reconfigurable topological insulator for elastic waves](#)

The Journal of the Acoustical Society of America **146**, 773 (2019); <https://doi.org/10.1121/1.5114920>

[A comparison study between acoustic topological states based on valley Hall and quantum spin Hall effects](#)

The Journal of the Acoustical Society of America **146**, 721 (2019); <https://doi.org/10.1121/1.5115017>

[Nonreciprocal acoustic propagation and leaky-wave radiation in a waveguide with flow](#)

The Journal of the Acoustical Society of America **146**, 802 (2019); <https://doi.org/10.1121/1.5115018>

[Floquet topological acoustic resonators and acoustic Thouless pumping](#)

The Journal of the Acoustical Society of America **146**, 742 (2019); <https://doi.org/10.1121/1.5114914>

[Asymmetric scattering of flexural waves in a parity-time symmetric metamaterial beam](#)

The Journal of the Acoustical Society of America **146**, 850 (2019); <https://doi.org/10.1121/1.5116561>



**Advance your science and career
as a member of the**

ACOUSTICAL SOCIETY OF AMERICA

LEARN MORE



Introduction to the special issue on non-reciprocal and topological wave phenomena in acoustics

Romain Fleury,¹ Michael R. Haberman,^{2,a)} Guoliang Huang,³ and Andrew N. Norris⁴

¹Laboratory of Wave Engineering, Swiss Federal Institute of Technology in Lausanne (EPFL), 1015 Lausanne, Switzerland

²Walker Department of Mechanical Engineering and Applied Research Laboratories, The University of Texas at Austin, Austin, Texas 78712, USA

³Department of Mechanical and Aerospace Engineering, The University of Missouri, Columbia, Missouri 65211, USA

⁴Department of Mechanical and Aerospace Engineering, Rutgers, The State University of New Jersey, Piscataway, New Jersey 08854, USA

(Received 28 June 2019; accepted 3 July 2019; published online 31 July 2019)

<https://doi.org/10.1121/1.5119133>

[JFL]

Pages: 719–720

I. INTRODUCTION

For nearly two decades the field of acoustic metamaterials has seen an explosion of research activity focused on exploring the possibilities for controlling acoustic and elastic wave propagation through the design of materials across multiple length scales. Acoustic metamaterial research has previously focused on determining sub-wavelength structures that produce effective material behavior that can be characterized as negative dynamic density and bulk modulus or a high degree of material property anisotropy. Those studies were conducted primarily with the objective of creating novel devices like acoustic cloaks, lenses, or perfectly absorbing surfaces (Cummer *et al.*, 2016; Haberman and Norris, 2016). At its core, metamaterials research focuses on challenging the assumptions of the limits of material response to propagating acoustic and elastic disturbances and, in so doing, can provide new insight to longstanding problems or suggest entirely new areas of research activity in acoustics. The content of this Special Issue is focused primarily on the simple challenge of understanding, modeling, and measuring media that essentially allows one to hear but not be heard, i.e., non-reciprocal acoustic media. The principle of acoustic reciprocity is a fundamental principle of nature that is not broken easily (Lord Rayleigh, 1873). One must therefore consider media that violate the underlying assumptions of acoustic reciprocity such as linearity and microscopic reversibility (Fleury *et al.*, 2015). While not solely concerned with non-reciprocal wave phenomena, the emerging field of topological acoustics and mechanics highlights analogues in classical wave systems with quantum mechanical behavior (Huber, 2016) and has also seen significant progress in the last 2–3 years. Research in this area focuses primarily on understanding periodic media that support wave motion confined to its boundaries (edges, interfaces, and corners). These boundary waves have topological origin and differ fundamentally from classical surface and interface waves such as Rayleigh, Stoneley, or

Scholte waves (Khanikaev *et al.*, 2016; Chen *et al.*, 2018). Specifically, research on topological acoustics probes how one may generate behavior like non-reciprocal edge modes which are the analogue to the quantum Hall effect. Likewise, symmetry-protected wave modes at the interface of two media that minimally interact with scatterers and/or permit the creation of waveguides with sharp angles to guide energy around objects in analogy with the quantum spin Hall effect (QSHE) or the quantum valley Hall effect (QVHE) are also of interest.

The manuscripts in this issue provide a glimpse into these emerging areas of study. The issue begins with contributions concerning topological effects in lattice materials, primarily on acoustical analogues of the QVHE and QSHE. Deng *et al.* (2019) provide an analysis of acoustic analogues of QVHE and QSHE and Chen *et al.* (2019a) then investigate pseudospins and associated edge states of flexural modes in a plate with snowflake-like lattice structures. Jiang *et al.* (2019) then provide an analysis of the acoustic analogue of topological valley edge states using resonators at lattice nodes. The contribution by Long and Ren (2019) demonstrates the analogue of Thouless pumping in a one-dimensional acoustic system with spatially modulated geometric parameters and Hasan *et al.* (2019) present a general method of analysis for topological wave phenomena in acoustic and elastic systems. The last two contributions on topological wave phenomena in acoustics investigate the ability to tune topologically protected modes. Chen *et al.* (2019b) study the effect of lattice node geometry on the appearance of Dirac cones and spin states at interfaces while Darabi and Leamy (2019) describe the ability to tune topological insulator behavior in elastic plates by varying parameters of a two-dimensional elastic lattice. The remaining articles in the issue focus on the analysis and demonstration of classical wave motion that breaks reciprocity or demonstrates intriguing unidirectional behavior. Goldsberry *et al.* (2019) develop a finite element model of slow nonlinear deformation to modulate the effective properties of a structured elastic waveguide in time and space in order to break reciprocity for small amplitude signal waves. Attarzadeh *et al.* (2019) take a different route to breaking reciprocity in

^{a)}Electronic mail: haberman@utexas.edu

a one-dimensional system by introducing an angular momentum bias associated with gyroscopic elements and Wiederhold *et al.* (2019) consider the use of flow to introduce a momentum bias and thus break reciprocity and suggest an associated acoustic device. Wapenaar and Reinicke (2019) present a unified wave equation for non-reciprocal materials and employ it to extend well-known approaches to seismic imaging in the presence of non-reciprocal effects. Zangeneh-Nejad and Fleury (2019) then introduce a model and experimental demonstration of a linear four-port acoustic device, termed a rat-race coupler, which displays novel excitation and isolation behavior through destructive interference. The effects of nonlinearity are then considered by Mojahed *et al.* (2019) where it is shown that non-reciprocal energy transport associated with either energy localization or breather arrest depends on the position of excitation in a lattice (Mojahed *et al.*, 2019). The two contributions that follow investigate non-Hermitian systems in the context of extreme wave control. Wu *et al.* (2019) present an active system to control the magnitude and direction and wave propagation through the use of paired loss and gain elements attached to an elastic beam and Thevamaran *et al.* (2019) model and measure non-Hermitian systems consisting of spatially distributed linear and nonlinear losses in fork-shaped resonant elements to produce asymmetric acoustic reflectance and transmittance. Last but not least, Norris and Packo (2019) provide a detailed analysis of flexural wave scattering from pairs of closely-spaced scatterers to obtain almost total absorption for incidence on one side, with almost total reflection if incident from the other side.

On a final note, as Guest Editors, we would like to thank the editorial staff for their assistance in putting the special issue together in accordance with the standards of the Journal. We would also like to thank the Editor in Chief, James Lynch, for his encouragement and advice. Most importantly, we would like to extend a special thanks to all of the contributors and reviewers who provided high quality manuscripts that clearly display the expanding breadth of ongoing research in these fields. We hope that this collection stimulates further research in these areas of study and we look forward to future contributions to the Journal.

Attarzadeh, M. A., Maleki, S., Crassidis, J. L., and Nouh, M. (2019). "Non-reciprocal wave phenomena in energy self-reliant gyric metamaterials," *J. Acoust. Soc. Am.* **146**(1), 789–801.

Chen, H., Nassar, H., Norris, A. N., Hu, G., and Huang, G. L. (2018). "Elastic quantum spin Hall effect in kagome lattices," *Phys. Rev. B* **98**, 094302.

Chen, J.-J., Huo, S., Feng, L., and Huang, H. (2019a). "Pseudospins and topological edge states for fundamental antisymmetric Lamb modes in snowflake-like phononic crystal slabs," *J. Acoust. Soc. Am.* **146**(1), 729–735.

Chen, M., Xu, W., Liu, Y., Zhang, M., Pei, D., Jiang, H., and Wang, Y. (2019b). "Tunable Dirac cones in two-dimensional acoustic metamaterials with matryoshka structure," *J. Acoust. Soc. Am.* **146**(1), 767–772.

Cummer, S. A., Christensen, J., and Alù, A. (2016). "Controlling sound with acoustic metamaterials," *Nature Rev. Mater.* **1**, 16001.

Darabi, A., and Leamy, M. J. (2019). "Reconfigurable topological insulator for elastic waves," *J. Acoust. Soc. Am.* **146**(1), 773–781.

Deng, Y., Lu, M., and Jing, Y. (2019). "A comparison study between acoustic topological states based on Valley Hall and Quantum Spin Hall effects," *J. Acoust. Soc. Am.* **146**(1), 721–728.

Fleury, R., Sounas, D. L., Haberman, M. R., and Alù, A. (2015). "Non-reciprocal acoustics," *Acoustics Today* **11**(3), 14–21.

Goldsberry, B. M., Wallen, S. P., and Haberman, M. R. (2019). "Non-reciprocal wave propagation in mechanically-modulated continuous elastic metamaterials," *J. Acoust. Soc. Am.* **146**(1), 782–788.

Haberman, M. R., and Norris, A. N. (2016). "Acoustic metamaterials," *Acoustics Today* **12**(3), 31–39.

Hasan, M. A., Calderin, L., Lucas, P., Runge, K., and Deymier, P. A. (2019). "Spectral analysis of amplitudes and phases of elastic waves: Application to topological elasticity," *J. Acoust. Soc. Am.* **146**(1), 748–766.

Huber, S. D. (2016). "Topological mechanics," *Nature Phys.* **12**(7), 621–623.

Jiang, H., Chen, M., Liu, Y., Yang, T., Xu, W., Liu, Y., Zhang, M., and Wang, Y. (2019). "Acoustic valley edge states in a graphene-like system with sub-wavelength resonator," *J. Acoust. Soc. Am.* **146**(1), 736–741.

Khanikaev, A. B., Fleury, R., Mousavi, S. H., and Alù, A. (2016). "Topologically robust sound propagation in an angular-momentum-biased graphene-like resonator lattice," *Nature Commun.* **6**, 8260 (2015).

Long, Y., and Ren, J. (2019). "Floquet topological acoustic resonators and acoustic Thouless pumping," *J. Acoust. Soc. Am.* **146**(1), 742–747.

Lord Rayleigh. (1873). "Some general theorems relating to vibrations," *Proc. London Math. Soc.* **4**, 357–368.

Mojahed, A., Gendelman, O. V., and Vakakis, A. F. (2019). "Breather arrest, localization and acoustic non-reciprocity in dissipative nonlinear lattices," *J. Acoust. Soc. Am.* **146**(1), 826–842.

Norris, A. N., and Packo, P. (2019). "Non-symmetric flexural wave scattering and one-way extreme absorption," *J. Acoust. Soc. Am.* **146**(1), 873–883.

Thevamaran, R., Branscomb, R., Makri, E., Anzel, P., Christodoulides, D., Kottos, T., and Thomas, E. L. (2019). "Asymmetric acoustic energy transport in non-Hermitian metamaterials," *J. Acoust. Soc. Am.* **146**(1), 863–872.

Wapenaar, C. P. A., and Reinicke, C. (2019). "Unified wave field retrieval and imaging method for inhomogeneous non-reciprocal media," *J. Acoust. Soc. Am.* **146**(1), 810–825.

Wiederhold, C. P., Sounas, D. L., and Alù, A. (2019). "Nonreciprocal acoustic propagation and leaky-wave radiation in a waveguide with flow," *J. Acoust. Soc. Am.* **146**(1), 802–809.

Wu, Q., Chen, Y., and Huang, G. (2019). "Asymmetric scattering of flexural waves in a parity-time symmetric metamaterial beam," *J. Acoust. Soc. Am.* **146**(1), 850–862.

Zangeneh-Nejad, F., and Fleury, R. (2019). "Acoustic rat-race coupler and its applications in non-reciprocal systems," *J. Acoust. Soc. Am.* **146**(1), 843–849.